



Universität
Zürich^{UZH}

Performance of univariate kernel density estimation methods in TensorFlow

Bachelor Thesis

Author: Marc Steiner

Supervisors: Jonas Eschle, Prof. Dr. Nicola Serra

University of Zurich

Acknowledgements

I am grateful to Prof. Dr. Nicola Serra, for giving me the opportunity to complete my bachelor thesis under his domain.

I would also like to thank my supervisor Jonas Eschle, which advised me a lot concerning research, implementation and writing. He provided both technical and emotional guidance and helped me fulfill my potential.

Finally, I would like to thank my girlfriend Christa Schläppi, who unconditionally supported me through every challenge in the last year and acted as a sounding board for all the intelligent as well as not so intelligent ideas I had.

Abstract

Kernel density estimation is a non-parametric density estimation and often used in statistical inference, especially in scientific fields like high energy physics. Multiple new implementations of univariate kernel density estimation are proposed, based on TensorFlow (a just-in-time compiled mathematical Python library for CPU and GPU) and zfit (a highly scalable and customizable model manipulation and fitting library based on TensorFlow). Starting from the exact algorithm, several optimizations from recent papers are implemented to boost its efficiency. These optimizations include linear binning, Fast Fourier Transformed kernel functions, the Improved Sheather-Jones algorithm proposed by Botev et al., and specialized kernel functions as proposed by Hofmeyr. The accuracy and efficiency of the proposed implementation suite is then compared to existing implementations in Python and shown to be competitive. The proposed univariate kernel density estimation suite achieves state-of-the-art accuracy as well as efficiency, especially for large number of samples ($n \geq 10^8$).

Contents

1	Introduction	6
1.1	Purpose of this thesis	6
1.2	Kernel density estimation	6
1.3	zfit and TensorFlow	7
1.4	Univariate case	8
2	Theory	8
2.1	Exact kernel density estimation	8
2.2	Binning	9
2.2.1	Simple binning	9
2.2.2	Linear binning	9
2.3	Using convolution and the Fast Fourier Transform	10
2.4	Improved Sheather-Jones Algorithm	11
2.5	Using specialized kernel functions and their series expansion	12
3	Current state of the art	14
4	Implementation	15
4.1	Advantages of using zfit and TensorFlow	15
4.2	Exact univariate kernel density estimation	16
4.3	Binned method	17
4.4	FFT based method	18
4.5	ISJ based method	18
4.6	Specialized kernel method	18
5	Comparison	19
5.1	Benchmark setup	19
5.2	Differences of Exact, Binned, FFT, ISJ and Hofmeyr implementations	21
5.2.1	Accuracy	22
5.2.2	Runtime	25
5.3	Comparison to KDEpy	27
5.3.1	Accuracy	27
5.3.2	Runtime	29
5.4	Comparison to KDEpy on GPU	30
5.4.1	Runtime	31
5.5	Findings	34
6	Summary	35

Appendix **37**
 Source Code 37

References **38**

1 Introduction

1.1 Purpose of this thesis

The purpose of this thesis is to propose four novel implementations of univariate kernel density estimation based on TensorFlow¹, TensorFlow Probability² and zfit³, which incorporate insights from recent papers to decrease the computational complexity and therefore runtime. The newly proposed implementations are then compared to the state of the art of kernel density estimation in Python and shown to be competitive. By leveraging TensorFlow's graph based computation, the newly proposed methods to calculate a kernel density estimate can benefit from parallelization and efficient computation on CPU/GPU.

First the mathematical theory will be summarized in chapter 2, before currently existing implementations of kernel density estimation (KDE) in Python are discussed in chapter 3. In chapter 4 the four novel KDE implementations are proposed, which are then compared against the current state of the art in chapter 5. The findings are then summarized in chapter 6.

1.2 Kernel density estimation

Experimental science is based on accumulating and interpreting data, however the process of interpreting the data can be difficult. Suppose we are trying to understand some physical system. We might want to find out how probable certain events are, which is described by the probability density function (PDF) of the system. If we already have some knowledge of the system and the underlying mechanisms are well understood, we might be able to guess the shape of the probability density function and define it mathematically as a function depending on some parameters of the system (which might have physical meaning). If we then fit the function to the experimentally found data by some goodness-of-fit criterion like log-likelihood or χ^2 , we can get information about the parameters and learn more about the system itself. But what if the underlying mechanisms are too complex to be fully described analytically and the knowledge of the system is too poor to describe the model as an exact mathematical function?

In the particle accelerator at CERN for instance, a whopping 25 gigabytes of data is recorded per second⁴, resulting from the process of many physical interactions that occur almost simultaneously. It is often not feasible to anticipate features of the distribution one observes experimentally, as the distribution is comprised of many different distributions, which result from all the different physical interactions. However, through Monte Carlo based simulation, samples can be drawn from the theoretical distribution. These can be used in conjunction with so called non-parametric methods, that approximate the shape of the drawn distribution without the need for a predefined mathematical model. The perhaps simplest non-parametric method is the Histogramm. By summing the the data up in discrete bins the underlying probability distribution can be approximated, without needing any

prior knowledge of the system itself. However Histograms tend to produce PDFs that are highly dependent on bin width and bin positioning, meaning the interpretation of the data changes a lot by two arbitrary parameters.

A more sophisticated non-parametric method is the kernel density estimation (KDE), which can be looked at as a sort of generalized histogram⁵. In a kernel density estimation each data point is substituted with a so called kernel function that specifies how much it influences its neighboring regions. This kernel functions can then be summed up to get an estimate of the probability density distribution, quite similarly as summing up data points inside bins. However since the kernel functions are centered on the data points directly, KDE circumvents the problem of arbitrary bin positioning⁶. Since KDE still depends on kernel bandwidth (a measure of the spread of the kernel function) instead of bin width, one might argue that this is not a major improvement. However, upon closer inspection, one finds that the underlying PDF does depend less strongly on the kernel bandwidth than histograms do on bin width and it is much easier to specify rules for an approximately optimal kernel bandwidth than it is to do so for bin width⁷. Mathematical research has shown that it is possible to compute an approximately optimal bandwidth value, which is not possible for bin width. Another benefit is that one gets a smooth distribution by specifying a smooth kernel function, which is often desirable or even expected from theory. Due to this increased robustness, KDE is particular useful in High-Energy Physics (HEP) where it has been used for confidence level calculations for the Higgs Searches at the Large Electron Positron Collider (LEP)⁸. However there is still room for improvement in terms of accuracy and computation speed and certain more sophisticated approaches to kernel density estimation have been proposed in dependence on specific areas of application⁸.

1.3 zfit and TensorFlow

Currently the basic principle of KDE has been implemented in various programming languages and statistical modeling tools. The standard framework used in High Energy Physics (HEP) that includes KDE is the ROOT/RooFit toolkit written in C++. However as the amount of experimental data grows (like at CERN), so grows the computational burden and traditional methods to calculate kernel density estimation become cumbersome. In addition, Python plays an increasingly large role in the natural sciences due to support by corporations involved in Big Data and its superior accessibility. To elevate research in HEP, zfit, a new alternative to RooFit, was recently proposed. It is implemented on top of TensorFlow, one of the leading Python frameworks to handle large data and high parallelization, allowing a transparent usage of CPUs and GPUs³.

TensorFlow provides the intuitive accessibility of Python while ensuring speed and efficiency because the underlying operations are implemented in C++. TensorFlow implements so-called graph-based computation, which means that it builds a graph describing the computation to be done before it actually executes it. By analyzing the graph TensorFlow can then optimize the algorithm and schedule parts that can be executed in parallel to be run on different CPUs or GPUs, which is especially impor-

tant for large data and lengthy calculations. Additionally TensorFlow supports automatic differentiation. Every operation in the graph implements its own derivative and therefore the whole graph can be differentiated by using the chain rule. This is especially important for applications where we want to minimize the gradient such as in neural network based computations. Finally, TensorFlow can be used together with other scientific libraries in Python and TensorFlow accepts NumPy⁹ arrays as input, although computations outside of the graph do not benefit of TensorFlow's optimizations and its automatic differentiation. Being able to calculate a kernel density estimation using TensorFlow and zfit has therefore numerous advantages for large data.

So far only exact kernel density estimations exist for TensorFlow, however as seen in chapter 2, the KDE can be approximated using multiple mathematical tricks with only a negligible decrease in accuracy, while decreasing the computational complexity substantially.

1.4 Univariate case

The newly proposed implementations in this thesis are limited to the one-dimensional case, since this is the case which is most often used and therefore benefits the most of decreased runtime. It is feasible to extend the implementation to the multi-dimensional case in the future, however this would require more work due to not quite identical APIs to the univariate case. In addition one must ensure that the kernel functions used would be multi-dimensional themselves.

2 Theory

2.1 Exact kernel density estimation

Given a set of n sample points x_k ($k = 1, \dots, n$), an exact kernel density estimation $\hat{f}_h(x)$ can be calculated as

$$\hat{f}_h(x) = \frac{1}{nh} \sum_{k=1}^n K\left(\frac{x - x_k}{h}\right) \quad (1)$$

where $K(x)$ is called the kernel function, h is the bandwidth of the kernel and x is the value for which the estimate is calculated. The kernel function defines the shape and size of influence of a single data point over the estimation, whereas the bandwidth defines the range of influence. Most typically a simple Gaussian distribution ($K(x) := \frac{1}{\sqrt{2\pi}} e^{-\frac{1}{2}x^2}$) is used as kernel function. The larger the bandwidth parameter h the larger is the range of influence of a single data point on the estimated distribution.

The computational complexity of the exact KDE above is given by $\mathcal{O}(nm)$ where n is the number of sample points to estimate from and m is the number of evaluation points (the points where you want

to calculate the estimate). There exist several approximative methods to decrease this complexity and therefore decrease the runtime as well.

2.2 Binning

The most straightforward way to decrease the computational complexity is by limiting the number of sample points. This can be done by a binning routine, where the values at a smaller number of regular grid points are estimated from the original larger number of sample points. Given a set of sample points $X = \{x_0, x_1, \dots, x_k, \dots, x_{n-1}, x_n\}$ with weights w_k and a set of equally spaced grid points $G = \{g_0, g_1, \dots, g_l, \dots, g_{n-1}, g_n\}$ where $N < n$ we can assign an estimate (or a count) c_l to each grid point g_l and use the newly found g_l to calculate the kernel density estimation instead.

$$\hat{f}_h(x) = \frac{1}{nh} \sum_{l=1}^N c_l \cdot K\left(\frac{x - g_l}{h}\right) \quad (2)$$

This lowers the computational complexity down to $\mathcal{O}(N \cdot m)$. Depending on the number of grid points N there is tradeoff between accuracy and speed. However as we will see in the comparison chapter later as well, even for ten million sample points, a grid of size 1024 is enough to capture the true density with high accuracy¹⁰. As described in the extensive overview by Artur Gramacki¹¹ simple binning or linear binning can be used, although the last is often preferred since it is more accurate and the difference in computational complexity is negligible.

2.2.1 Simple binning

Simple binning is just the standard process of taking a weighted histogram and then normalizing it by dividing each bin by the sum of the sample points weights. In one dimension simple binning is binary in that it assigns a sample point's weight ($w_k = 1$ for an unweighted histogram) either to the grid point (bin) left or right of itself.

$$c_l = c(g_l) = \sum_{\substack{x_k \in X \\ \frac{g_l + g_{l-1}}{2} < x_k < \frac{g_{l+1} + g_l}{2}}} w_k \quad (3)$$

where c_l is the value for grid point g_l depending on sample points x_k and their associated weights w_k .

2.2.2 Linear binning

Linear binning on the other hand assigns a fraction of the whole weight to both grid points (bins) on either side, proportional to the closeness of grid point and data point in relation to the distance

between grid points (bin width).

$$c_l = c(g_l) = \sum_{\substack{x_k \in X \\ g_l < x_k < g_{l+1}}} \frac{g_{k+1} - x_k}{g_{l+1} - g_l} \cdot w_k + \sum_{\substack{x_k \in X \\ g_{l-1} < x_k < g_l}} \frac{x_k - g_{l-1}}{g_{l+1} - g_l} \cdot w_k \quad (4)$$

where c_l is the value for grid point g_l depending on sample points x_k and their associated weights w_k .

2.3 Using convolution and the Fast Fourier Transform

Another technique to speed up the computation is rewriting the kernel density estimation as convolution operation between the kernel function and the grid counts (bin counts) calculated by the binning routine given above.

By using the fact that a convolution is just a multiplication in Fourier space and only evaluating the KDE at grid points one can reduce the computational complexity down to $\mathcal{O}(\log N \cdot N)$.¹¹

Using the equation (2) from above only evaluated at grid points gives us

$$\hat{f}_h(g_j) = \frac{1}{nh} \sum_{l=1}^N c_l \cdot K\left(\frac{g_j - g_l}{h}\right) = \frac{1}{nh} \sum_{l=1}^N k_{j-l} \cdot c_l \quad (5)$$

where $k_{j-l} = K\left(\frac{g_j - g_l}{h}\right)$.

If we set $c_l = 0$ for all l not in the set $\{1, \dots, N\}$ and notice that $K(-x) = K(x)$ we can extend equation (5) to a discrete convolution as follows

$$\hat{f}_h(g_j) = \frac{1}{nh} \sum_{l=-N}^N k_{j-l} \cdot c_l = \vec{c} * \vec{k} \quad (6)$$

where the two vectors look like this




Figure 1: Vectors \vec{c} and \vec{k} used for the convolution

By using the well known convolution theorem we can fourier transform \vec{c} and \vec{k} , multiply them and inverse fourier transform them again to get the result of the discrete convolution.

However, due to the limitation of evaluating only at the grid points themselves, one needs to interpolate to get values for the estimated distribution at points in between.

2.4 Improved Sheather-Jones Algorithm

A different take on KDEs is described in the paper ‘Kernel density estimation by diffusion’ by Botev et al.¹² The authors present a new adaptive kernel density estimator based on linear diffusion processes which also includes an estimation for the optimal bandwidth. A more detailed and extensive explanation of the algorithm as well as an implementation in Matlab is given in the ‘Handbook of Monte Carlo Methods’¹³ by the original paper authors. However the general idea is briefly sketched below.

The optimal bandwidth is often defined as the one that minimizes the mean integrated squared error (*MISE*) between the kernel density estimation $\hat{f}_{h,norm}(x)$ and the true probability density function $f(x)$, where \mathbb{E}_f denotes the expected value with respect to the sample which was used to calculate the KDE.

$$MISE(h) = \mathbb{E}_f \int [\hat{f}_{h,norm}(x) - f(x)]^2 dx \quad (7)$$

To find the optimal bandwidth it is useful to look at the second order derivative $f^{(2)}$ of the unknown distribution as it indicates how many peaks the distribution has and how steep they are. For a distribution with many narrow peaks close together a smaller bandwidth leads to better result since the peaks do not get smeared together to a single peak for instance.

As derived by Wand and Jones an asymptotically optimal bandwidth h_{AMISE} which minimizes a first-order asymptotic approximation of the *MISE* is then given by¹⁴

$$h_{AMISE}(x) = \left(\frac{1}{2N\sqrt{\pi}\|f^{(2)}(x)\|^2} \right)^{\frac{1}{5}} \quad (8)$$

where N is the number of sample points (or grid points if binning is used).

As Sheather and Jones showed, this second order derivative can be estimated, starting from an even higher order derivative $\|f^{(l+2)}\|^2$ by using the fact that $\|f^{(j)}\|^2 = (-1)^j \mathbb{E}_f[f^{(2j)}(X)]$, $j \geq 1$

$$h_j = \left(\frac{1 + 1/2^{j+1/2}}{3} \frac{1 \times 3 \times 5 \times \dots \times (2j-1)}{N\sqrt{\pi/2}\|f^{(j+1)}\|^2} \right)^{1/(3+2j)} = \gamma_j(h_{j+1}) \quad (9)$$

where h_j is the optimal bandwidth for the j -th derivative of f and the function γ_j defines the dependency of h_j on h_{j+1}

Their proposed plug-in method works as follows:

1. Compute $\|\hat{f}^{(l+2)}\|^2$ by assuming that f is the normal pdf with mean and variance estimated from the sample data
2. Using $\|\hat{f}^{(l+2)}\|^2$ compute h_{l+1}
3. Using h_{l+1} compute $\|\hat{f}^{(l+1)}\|^2$
4. Repeat steps 2 and 3 to compute $h^l, \|\hat{f}^{(l)}\|^2, h^{l-1}, \dots$ and so on until $\|\hat{f}^{(2)}\|^2$ is calculated
5. Use $\|\hat{f}^{(2)}\|^2$ to compute h_{AMISE}

The weakest point of this procedure is the assumption that the true distribution is a Gaussian density function in order to compute $\|\hat{f}^{(l+2)}\|^2$. This can lead to arbitrarily bad estimates of h_{AMISE} , when the true distribution is far from being normal.

Therefore Botev et al. took this idea further¹². Given the function $\gamma^{[k]}$ such that

$$\gamma^{[k]}(h) = \underbrace{\gamma_1(\dots \gamma_{k-1}(\gamma_k(h)) \dots)}_{k \text{ times}} \quad (10)$$

h_{AMISE} can be calculated as

$$h_{AMISE} = h_1 = \gamma^{[1]}(h_2) = \gamma^{[2]}(h_3) = \dots = \gamma^{[l]}(h_{l+1}) \quad (11)$$

By setting $h_{AMISE} = h_{l+1}$ and using fixed point iteration to solve the equation

$$h_{AMISE} = \gamma^{[l]}(h_{AMISE}) \quad (12)$$

the optimal bandwidth h_{AMISE} can be found directly.

This eliminates the need to assume normally distributed data for the initial estimate and leads to improved performance, especially for density distributions that are far from normal as seen in the next chapter. According to their paper increasing l beyond $l = 5$ does not increase the accuracy in any practically meaningful way. The computation is especially efficient if $\gamma^{[5]}$ is computed using the Discrete Cosine Transform - an FFT related transformation.

The optimal bandwidth h_{AMISE} can then either be used for other kernel density estimation methods (like the FFT-approach discussed above) or also to compute the kernel density estimation directly using another Discrete Cosine Transform.

2.5 Using specialized kernel functions and their series expansion

Lastly there is an interesting approach described by Hofmeyr¹⁵ that uses special kernel functions of the form $K(x) := poly(|x|) \cdot exp(-|x|)$ where $poly(|x|)$ denotes a polynomial of finite degree.

Given the kernel with a polynom of order α

$$K_\alpha(x) := \sum_{j=0}^{\alpha} |x|^j \cdot e^{-|x|} \quad (13)$$

the kernel density estimation is given by (equation (1))

$$\hat{f}_h(x) = \frac{1}{nh} \sum_{k=1}^n \sum_{j=0}^{\alpha} \left(\frac{|x - x_k|}{h} \right)^j \cdot e^{-\frac{|x - x_k|}{h}} \quad (14)$$

where as usual n is the number of samples and h is the bandwidth parameter.

Hofmeyr showed that the above kernel density estimator can be rewritten as

$$\hat{f}_h(x) = \sum_{j=0}^{\alpha} \sum_{i=0}^j \binom{j}{i} \left(\exp\left(\frac{x(\tilde{n}(x)) - x}{h}\right) x^{j-i} \ell(i, \tilde{n}(x)) + \exp\left(\frac{x - x(n(x))}{h}\right) (-x)^{j-i} r(i, \tilde{n}(x)) \right) \quad (15)$$

where $\tilde{n}(x)$ is defined to be the number of sample points less than or equal to x ($\tilde{n}(x) = \sum_{k=1}^n \delta_{x_k}((-\infty, x])$), where $\delta_{x_k}(\cdot)$ is the Dirac measure of x_k and $\ell(i, \tilde{n})$ and $r(i, \tilde{n})$ are given by

$$\ell(i, \tilde{n}) = \sum_{k=1}^{\tilde{n}} (-x_k)^i \exp\left(\frac{x_k - x_{\tilde{n}}}{h}\right) \quad (16)$$

$$r(i, \tilde{n}) = \sum_{k=\tilde{n}+1}^n (x_k)^i \exp\left(\frac{x_{\tilde{n}} - x_k}{h}\right) \quad (17)$$

Or put differently, all values of $\hat{f}_h(x)$ can be specified as linear combinations of terms in $\bigcup_{i, \tilde{n}} \{\ell(i, \tilde{n}), r(i, \tilde{n})\}$. Finally, the critical insight lies in the fact that $\ell(i, \tilde{n})$ and $r(i, \tilde{n})$ can be computed recursively as follows

$$\ell(i, \tilde{n} + 1) = \exp\left(\frac{x_{\tilde{n}} - x_{\tilde{n}+1}}{h}\right) \ell(i, \tilde{n}) + (-x_{\tilde{n}+1})^i \quad (18)$$

$$r(i, \tilde{n} - 1) = \exp\left(\frac{x_{\tilde{n}-1} - x_{\tilde{n}}}{h}\right) r(i, \tilde{n}) + (x_{\tilde{n}})^i \quad (19)$$

Using this recursion one can then calculate the kernel density estimation with a single forward and a single backward pass over the ordered set of all $x_{\tilde{n}}$ leading to a computational complexity of $\mathcal{O}((\alpha + 1)(n + m))$ where α is the order of the polynom, n is the number of sample points and m is the number of evaluation points. What is important to note here is that this is the only method that defines a computational gain for an exact kernel density estimation. Although we can also use binning to ap-

proximate it and reduce the computational complexity even further, it is already a significant runtime reduction for the exact estimate.

3 Current state of the art

To get a sense of what the current state of kernel density estimation in Python is, we will look at several current implementations and their distinctions. This will lead to an understanding of their different properties and allow us to compare and classify the new methods proposed in the next chapter inside Python's ecosystem.

The most popular KDE implementations in Python are SciPy's `gaussian_kde`¹⁶, Statsmodels' KDE-Univariate¹⁷, Scikit-learn's `KernelDensity` package¹⁸ as well as KDEpy by Tommy Odland¹⁹.

The question of the optimal KDE implementation for any situation is not entirely straightforward and depends a lot on what your particular goals are. Statsmodels includes a computation based on Fast Fourier Transform (FFT) and normal reference rules for choosing the optimal bandwidth, which Scikit-learn's package lacks for instance. On the other hand, Scikit-learn includes a k -d-tree based kernel density estimation, which is not available in Statsmodels. As Jake VanderPlas was able to show in his comparison²⁰ Scikit-learn's tree based approach to compute the kernel density estimation was the most efficient in the vast majority of cases in 2013.

However the new implementation proposed by Tommy Odland in 2018 called KDEpy¹⁹ was able to outperform all previous implementations (even Scikit-learn's tree based approach) in terms of runtime for a given accuracy by a factor of at least one order of magnitude, using an FFT based approach. Additionally it incorporates features of all implementations mentioned before as well as additional kernels and an additional method to calculate the bandwidth using the Improved Sheather Jones (ISJ) algorithm first proposed by Botev et al¹², which was discussed in the previous chapter.

This makes KDEpy the de-facto standard of kernel density estimation in Python.

Table 1: Comparison between KDE implementations by Tommy Odland¹⁰ (NR: normal reference rules, namely Scott/Silverman, CV: Cross Validation, ISJ: Improved Sheather Jones according to Botev et al.¹²)

Feature / Library	scipy	sklearn	statsmodels	KDEpy
Number of kernel functions	1	6	7 (6 slow)	9
Weighted data points	No	No	Non-FFT	Yes
Automatic bandwidth	NR	None	NR,CV	NR, ISJ
Multidimensional	No	No	Yes	Yes

Feature / Library	scipy	sklearn	statsmodels	KDEpy
Supported algorithms	Exact	Tree	Exact, FFT	Exact, Tree, FFT

Therefore the novel implementation for kernel density estimation based on TensorFlow and `zfit` proposed in this thesis is compared to KDEpy directly to show that it can outperform KDEpy in terms of runtime and accuracy for large datasets ($n \geq 10^8$).

4 Implementation

In addition to the rather simple case of an exact univariate kernel density estimation (henceforth called `ZfitExact`), four conceptually different novel implementations in `zfit` and TensorFlow are proposed. A method based on simple or linear binning (called `ZfitBinned`), a method using the FFT algorithm (called `ZfitFFT`), a method based on the improved Sheather Jones algorithm (called `ZfitISJ`) and lastly a method based on Hofmeyr's method of using a specialized kernel of the form $poly(x) \cdot \exp(x)$ (called `ZfitHofmeyr`) and recursive computation of the bases needed to calculate the kernel density estimations as linear combination. All methods are implemented for the univariate case only.

Important to note is that for `ZfitISJ` and `ZfitFFT` simple or linear binning is necessary as a preliminary step.

4.1 Advantages of using `zfit` and TensorFlow

The benefit of using `zfit`, which is based on TensorFlow, is that both frameworks are optimized for parallel processing and CPU as well as GPU processing. TensorFlow uses graph based computation, which means that it generates a computational graph of all operations to be done and their order, before actually executing the computation. This has two key advantages.

First it allows TensorFlow to act as a kind of compiler and optimize the code before running and schedule graph branches that are independent of each other to be run on different processors and executed in parallel. Operations in TensorFlow are often implemented twice, once for CPU and once for GPU to make use of the different environments available on each processor type. Also, similarly to NumPy⁹, TensorFlow's underlying operations are programmed in C++ and therefore benefit from static typing and compile time optimization.

Secondly it allows for automatic differentiation, meaning that every TensorFlow operation defines its own derivative. Using the chain rule, TensorFlow can then automatically compute the gradient of the whole program, which is especially useful for non-parametric fitting (i.e. gradient descent computations in function approximations using a neural network).

4.2 Exact univariate kernel density estimation

The implementation of an exact univariate kernel density estimation in TensorFlow is straightforward. As described in the original Tensorflow Probability Paper², a KDE can be constructed by using its `MixtureSameFamily` distribution class, given sampled data, their associated weights and bandwidth h as follows

```
import tensorflow as tf
from tensorflow_probability import distributions as tfd

data = [...]
weights = [...]
h = ...

f = lambda x: tfd.Independent(tfd.Normal(loc=x, scale=h))
n = data.shape[0].value

probs = weights / tf.reduce_sum(weights)

kde = tfd.MixtureSameFamily(
    mixture_distribution=tfd.Categorical(
        probs=probs),
    components_distribution=f(data))
```

Interestingly, due to the smart encapsulated structure of TensorFlow Probability we can use any distribution of the location-scale family type as a kernel as long as it follows the Distribution contract in TensorFlow Probability. If the used Kernel has only bounded support, the implementation proposed in this paper allows to specify the support upon instantiation of the class. If the Kernel has infinite support (like a Gaussian kernel for instance) a practical support estimate is calculated by searching for approximate roots with Brent's method²¹ implemented for TensorFlow in the python package `tf_quant_finance` by Google. This allows us to speed up the calculation as negligible contributions from far away kernels are neglected.

However calculating an exact kernel density estimation is not always feasible as this can take a long time with a huge collection of data points. By implementing it in TensorFlow we already get a significant speed up compared to implementations in native Python, due to TensorFlow's advantages mentioned above. Nonetheless the computational complexity remains the same and for large data this can still make the exact KDE impractical.

An exact KDE using `zfit` called `ZfitExact` is implemented as a `zfit.pdf.WrapDistribution` class, which is `zfit`'s class type for wrapping TensorFlow Probability distributions.

4.3 Binned method

The method `ZfitBinned` also implements kernel density estimation as a constructed `Mixture-SameFamily` distribution, however it bins the data (either simple or linearly) to an equally spaced grid and uses only the grid points weighted by their grid count as kernel locations (see section 2.2).

Since simple binning is already implemented in TensorFlow as `tf.histogram_fixed_width`, the contribution of this thesis for `ZfitBinned` lies in an implementation of linear binning in TensorFlow. Implementing linear binning efficiently with TensorFlow is a bit tricky since loops should be avoided as the graph based computation is fastest with vectorized operations and loops pose a significant runtime overhead. However with some inspiration from the KDEpy package¹⁹ this can be done without using loops at all.

First, every data point x_k is transformed to \tilde{x}_k in the following way (the transformation can be vectorized)

$$\tilde{x}_k = \frac{x_k - g_0}{\Delta g} \quad (20)$$

where Δg is the grid spacing and g_0 is the left-most value of the grid.

Given this transformation every \tilde{x}_k can then be described by an integral part \tilde{x}_k^{int} (equal to its nearest left grid point index $l = x_k^{int}$) plus some fractional part \tilde{x}_k^{frac} (corresponding to the additional distance between grid point g_l and data point x_k). The linear binning can then be solved in the following way.

For data points on the right side of the grid point g_l : The fractional parts of the data points are summed if the integral parts equal l .

For data points on the left side of the grid point g_l : 1 minus the fractional parts of the data points are summed if the integral parts equal $l - 1$.

Including the weights this looks as follows

$$c_l = c(g_l) = \sum_{\substack{\tilde{x}_k^{frac} \in \tilde{X}^{frac} \\ l = \tilde{x}_k^{int}}} \tilde{x}_k^{frac} \cdot w_k + \sum_{\substack{\tilde{x}_k^{frac} \in \tilde{X}^{frac} \\ l = \tilde{x}_k^{int} + 1}} (1 - \tilde{x}_k^{frac}) \cdot w_k \quad (21)$$

Left and right side sums can then be calculated efficiently with the TensorFlow function `tf.math.bincount`.

The binned method `ZfitBinned` is implemented in the same class definition as `ZfitExact`, the binning can be enabled by specifying a constructor argument.

4.4 FFT based method

The KDE method called `ZfitFFT`, which uses the FFT based method (discussed in section 2.3), is implemented as a `zfit.pdf.BasePdf` class. It is not based on TensorFlow Probability as it does not use a `MixtureDistribution` but instead calculates the estimate for the given grid points directly. To still infer values for other points in the range of x `tfp.math.interp_regular_1d_grid` is used, which computes a linear interpolation of values between the grid. In TensorFlow one-dimensional discrete convolutions are efficiently implemented already if we use `tf.nn.conv1d`. In benchmarking using this method to calculate the estimate proved significantly faster than using `tf.signal.rfft` and `tf.signal.irfft` to transform, multiply and inverse transform the vectors, which is implemented as an alternative option as well.

4.5 ISJ based method

The method called `ZfitISJ` is also implemented as a `zfit.pdf.BasePdf` class. After using simple or linear binning to calculate the grid counts, the estimate for the grid points is calculated using the improved Sheather Jones method (discussed in section 2.4).

To find the roots for γ^l in equation (12) Brent's method²¹ implemented `tf.quant_finance` is used again. To avoid loops the iterative function γ^l is statically unrolled for $l = 5$, since higher values would not lead to any practical differences according to the paper authors. For the Discrete Cosine Transform `tf.signal.dct` is used.

4.6 Specialized kernel method

The method called `ZfitHofmeyr` is again implemented as a `zfit.pdf.BasePdf` class. It uses specialized kernels of the form $poly(x) \cdot \exp(x)$ (as discussed in 2.5).

However due to the recursive nature of the method, an implementation in TensorFlow directly displayed the same poor performance as using an exact kernel density estimation based on a mixture distribution. This is due to the fact, that recursive functions of this type can not be vectorized and have to be implemented using loops, which are ill-advised for TensorFlow due to its graph based paradigm. Implementing the recursion using NumPy and `tf.numpy_function` (which wraps a NumPy based Python function to create a single TensorFlow operation) was an order of magnitude faster, but still slower than all approximative methods discussed before.

Finally, implementing the method in C++ directly as a custom TensorFlow operation appropriately named `tf.hofmeyr_kde` yielded the competitive execution runtime expected from theory. The code for the C++ based implementation is based on the C++ code used for the author's own R package FKSUM²².

So far the custom TensorFlow operation is only implemented as a proof of concept and poses severe limitations. Its C++ library has to be compiled for every platform specifically and it currently does not compute its own gradient and therefore does not support TensorFlow's automatic differentiation. It is also implemented only for the CPU and does therefore not benefit of using the GPU.

5 Comparison

To compare the efficiency and performance of the different kernel density estimation methods implemented with TensorFlow a benchmarking suite was developed. It consists of three parts: a collection of distributions to use, a collection of methods to compare and a runner module that implements helper methods to execute the methods to test against the different distributions and plot the generated datasets nicely.

The goal is to assess whether the newly proposed methods (`ZfitBinned`, `ZfitFFT`, `ZfitISJ` and `ZfitHofmeyr`) are able to compete with current KDE implementations in Python in terms of runtime for a given accuracy. Furthermore the benchmarking between the four new implementations should yield insights to choose the right method for the right use case.

5.1 Benchmark setup

To compare the different implementations multiple popular test distributions mentioned in Wand et al.¹⁴ were used (see figure 2). A simple normal distribution, a simple uniform distribution, a bimodal distribution comprised of two normals, a skewed bimodal distribution, a claw distribution that has spikes, and one called asymmetric double claw that has different sized spikes left and right. These test distributions are implemented using TensorFlow Probability and data is sampled from each test distribution at random. The different KDE methods are then used to approximate these test distributions from the sampled data.




Figure 2: Test distributions used to sample data from

All comparisons were made using a standard Gaussian kernel function. Although all location-scale family distributions of TensorFlow Probability may be used for the new implementation proposed in this paper, the Gaussian kernel function is the most used one and provides best reference to compare different implementations against each other. An exception is `ZfitHofmeyr` (see 4.6), which uses a specialized kernel function of the form $poly(x) \cdot \exp(x)$, namely the K_1 kernel function with a polynomial of order $\alpha = 1$ as given by equation (13). The K_1 kernel function is used, since it was shown to be the most performant in nearly all cases in Hofmeyr’s own benchmarking²². Indicating this and the fact that the underlying algorithm was implemented in C++ as a custom TensorFlow operation, the Hofmeyr method used in the comparisons is therefore appropriately called `ZfitHofmeyrK1withCpp`.

For all approximative implementations linear binning with a fixed bin count of $N = 2^{10} = 1024$ was used. This is the default in `KDEpy`, a power of 2 (which is favorable for FFT based algorithms), results in an exact kernel density calculation for the lowest sample size used (10^3) but also yields results with high accuracy for the highest sample size used (10^8). Decreasing the bin count would decrease the runtime while providing lesser accuracy whereas increasing the bin count would yield higher accuracy while increasing the runtime (see 2.2). However, as all methods compared use the same linear binning

routine, changing the bin count does not change how they compare. Therefore the bin size is kept fixed.

For nearly all implementations the bandwidth was calculated using the popular rule of thumb introduced by Silverman²³, because it is simple to compute and sufficient to capture the differences between implementations. The only exception is the ISJ based method, since it is based on calculating the approximately optimal bandwidth directly (as shown in section 2.4).

5.2 Differences of Exact, Binned, FFT, ISJ and Hofmeyr implementations

First, the exact kernel density estimation implementation is compared against the linearly binned, FFT and ISJ and Hofmeyr implementations run on a Macbook Pro 2013 Retina using the CPU.

The sample sizes lie in the range of 10^3 to 10^4 . The number of samples is restricted because calculating the exact kernel density estimation for more than 10^4 kernels is computationally unfeasible (larger datasets would lead to an exponentially larger runtime).

5.2.1 Accuracy




Figure 3: Comparison between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr' with $n = 10^4$ sample points

As seen in figure 3, all implementations are capturing the underlying distributions rather well, except for the complicated spiky distributions at the bottom. Here the ISJ approach is especially favorable, since it does not rely on Silverman's rule of thumb to calculate the bandwidth. This can be seen in figure 4 in more detail.




Figure 4: Comparison between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr' with $n = 10^4$ sample points on distribution 'Claw'




Figure 5: Integrated square errors (ISE) for the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr'

The calculated integrated square errors (ISE) per sample size can be seen in figure 5. As expected the ISE decreases with increased sample size. The specialized kernel method (implemented as TensorFlow operation in C++: `ZfitHofmeyrK1withCpp`) has a higher ISE than the other methods for all distributions. Although the ISJ based method's (`ZfitISJ`) accuracy is equally as poor for the uniform distribution, it has the lowest ISE for the spiky 'Claw' distribution, which confirms the superiority of the ISJ based bandwidth estimation for highly non-normal, spiky distributions. For other type of distributions the exact, linearly binned and FFT based method have comparable integrated square errors, which suggest that the the accuracy loss of linear binning is negligible compared to the exact kernel density estimate.

5.2.2 Runtime

The runtime comparisons are split in an instantiation and an evaluation phase. In the instantiation phase everything is prepared for evaluation at different values of x , depending on the method used more or less calculation happens during this phase. In the evaluation phase the kernel density estimate is calculated and returned for the evaluation points.




Figure 6: Runtime difference of the instantiation phase between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr'

As seen in figure 6, the FFT and ISJ method use more time during the instantiation phase than the other methods. This is expected, since for these methods the kernel density estimate is calculated for every grid point during the instantiation phase, whereas for the other methods, the calculation is only prepared and actually executed during the evaluation phase itself. In addition, we can see

that the FFT method is faster than the ISJ method in calculating the kernel density estimate for the grid points. The linear binning method is slower than the exact method because the bin counts are calculated during the instantiation phase.




Figure 7: Runtime difference of the evaluation phase between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr'

In figure 7 we can see that evaluation runtime of the exact KDE method increases with increased bin size, whereas for the other methods it stays nearly constant. The binned method benefits from the fact that, no matter how big the sample size is, it has to compute the kernel density estimate only for the fixed bin count of $N = 1024$. The other methods are faster during the evaluation phase, because they have already calculated estimate in the instantiation phase and only need to interpolate for the values in between.

5.3 Comparison to KDEpy

Now the newly proposed methods (Binned, FFT, ISJ, Hofmeyr) are compared against the state of the art implementation in Python KDEpy, also run on a Macbook Pro 2013 Retina using the CPU. The number of samples per test distribution is in the range of $10^3 - 10^8$. By excluding the exact kernel density estimation, larger sample data sizes can be used for comparison.

5.3.1 Accuracy




Figure 8: Comparison between the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy with $n = 10^4$ sample points

The different methods show the same behavior as the reference implementation in KDEpy, again with the exception of the ISJ algorithm, which works better for spiky distributions (figure 8).




Figure 9: Integrated square errors (ISE) for the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy

The integrated square errors plotted in figure 9, are in general in the same order of magnitude for all implementations, except for the Hofmeyr method, which shows unrealistically high errors for higher sample sizes. This might relate to an uncaught overflow error in the custom TensorFlow operation implemented in C++ and should be investigated further. Additionally we see again that the ISJ method's ISE is an order of magnitude lower for the spiky 'Claw' distribution, because it calculates a bandwidth closer to the optimum and does not rely on assuming a normal distribution in doing so. It can be shown also that the binned, FFT and ISJ methods capture the nature of the underlying distributions with high accuracy using only $N = 2^{10}$ bins even for a sample size of $n = 10^8$. KDEpy's FFT based implementation loses accuracy for higher sample sizes ($n \geq 10^8$), whereas the new binned, FFT and ISJ methods increase their accuracy even further, which suggests that using TensorFlow increases numerical stability for extensive calculations like kernel density estimations.

5.3.2 Runtime

Again the runtime comparisons are split in an instantiation and an evaluation phase.




Figure 10: Runtime difference of the instantiation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy

During the instantiation phase the newly proposed binned, FFT, ISJ and Hofmeyr methods are slower than KDEpy's FFT method by one or two orders of magnitude (figure 10). This is predictable, since generating the TensorFlow graph generates some runtime overhead.

In many practical situations in high energy physics however, generating the TensorFlow graph and the PDF has to be done only once and the PDF is evaluated repeatedly. This is for instance important if using the distribution estimate for log-likelihood or χ^2 fits, which is a prime use case of zfit. Therefore in such cases the PDF evaluation phase is of much higher importance. We can see, that once the

initial graph is built, evaluating the PDF for different values of x is nearly constant instead increasing exponentially as in the case of KDEpy's FFT method (figure 11).




Figure 11: Runtime difference of the evaluation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy

5.4 Comparison to KDEpy on GPU

Now we compare the new methods against KDEpy while leveraging TensorFlow's capability of GPU based optimization. All computations were executed using two Tesla P100 GPU's on the openSUSE Leap operating system running on an internal server of the University of Zurich. The number of samples per test distribution is again in the range of $10^3 - 10^8$. As using the GPU does not change the accuracy, we will only compare the runtimes here. Also the Hofmeyr method is excluded as it was not implemented for running on the GPU.

5.4.1 Runtime




Figure 12: Runtime difference of the instantiation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' and the FFT based implementation in KDEpy (run on GPU)

The instantiation of the newly proposed implementations runs faster on the GPU than the CPU. This is no surprise as many operations in TensorFlow benefit from the parallel processing on the GPU. For a high number of sample points the newly proposed binned as well as the newly proposed FFT implementation are instantiated nearly as fast as KDEpy's FFT implementation if run on a GPU (figure 12).

Performance of univariate kernel density estimation methods in TensorFlow




Figure 13: Runtime difference of the evaluation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' and the FFT based implementation in KDEpy (run on GPU)

The runtime of the PDF evaluation phase does not differ much from the one seen on the CPU. All new methods are evaluated in near constant time (figure 13).




Figure 14: Runtime difference of the evaluation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' only (run on GPU)

Looking at the evaluation runtimes of only the new methods, we can see that the differences are minimal (figure 14) and all evaluation runtimes are of the same order of magnitude.




Figure 15: Runtime difference of the total calculation (instantiation and evaluation phase) between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' and the FFT based implementation in KDEpy (run on GPU)

For larger datasets ($n \geq 10^8$) even the total runtime (instantiation and PDF evaluation combined) of the newly proposed binned and FFT methods is lower than for KDEpy's FFT method, i.e. these new methods based on TensorFlow and zfit can outperform KDEpy if run on the GPU (figure 15).

5.5 Findings

The comparisons above lead to four distinct findings.

1. The Hofmeyr method (ZfitHofmeyr), although a performant algorithm in theory, is difficult to implement efficiently in TensorFlow due to recursion and needs more work to be used for

real data.

2. For use cases where only the evaluation runtime is of importance, for instance in log-likelihood fitting, the newly proposed FFT and ISJ based implementations (`ZfitFFT` and `ZfitISJ`) are the most efficient ones.
3. The ISJ based implementation (`ZfitISJ`) provides superior accuracy for spiky non-normal distributions by an order of magnitude, while imposing only a minor runtime cost.
4. For sample sizes $n \geq 10^8$, the newly proposed binned and FFT methods (`ZfitBinned`, `ZfitFFT`) are able to outperform KDEpy in terms of total runtime for a given accuracy if run on the GPU.

6 Summary

After discussing the current mathematical research on kernel density estimation, several new implementations for kernel density estimation using `zfit` and TensorFlow were proposed. Namely one just using linear binning (`ZfitBinned`), one using an approach based on a Fast Fourier Transform (`ZfitFFT`), one based on the improved Sheather-Jones algorithm (`ZfitISJ`) and one based on specialized kernel functions of the form $poly(x) \cdot \exp(x)$ (`ZfitHofmeyr`). Since all proposed methods are based on TensorFlow and `zfit`, they are optimized for parallel processing on multiple CPUs and GPUs.

An extensive benchmarking showed that the methods `ZfitBinned` and `ZfitFFT` are both able to compete with the current state-of-the-art implementations in Python in terms of runtime for a given accuracy. Furthermore those methods showed superior performance both in accuracy as well as runtime for a given accuracy for large sample sizes ($n \geq 10^8$). Even for smaller datasets the methods may be favorable in cases where the PDF has to be built only once but is evaluated repeatedly (i.e. log-likelihood fits in `zfit`). In such cases `ZfitFFT` proves especially useful, as it only calculates a linear interpolation in the evaluation phase and has therefore the smallest runtime during this phase. Handling large datasets and fast repeated evaluation of the PDF are both cases that are important in high energy physics. Additionally `ZfitBinned` and `ZfitFFT` have the benefit of allowing any distribution of the location-scale family that follows the Distribution contract of TensorFlow Probability² as kernel function, which includes more than twelve distributions at the moment.

For spiky non-normal distributions the method `ZfitISJ` provides superior accuracy with only a minor increase in runtime, because it computes an approximately optimal bandwidth and does not depend on assuming normally distributed data in doing so. It was able to outperform any other implementation in terms of accuracy in the most cases.

The last method `ZfitHofmeyr` is an interesting proof of concept, that can in theory compute exact kernel density estimates very fast, however, due to its recursive nature it is poorly suited to be implemented with TensorFlow. After implementing it with C++ as custom TensorFlow operation the practi-

cal speed gain was indeed notable, however it was not able to outperform the other implementations based on runtime for a given accuracy. In particular, it failed to approximate some distributions completely for bigger sample sizes, although this might be an artifact of an uncaught overflow error in the C++ implementation. Further investigation would be needed to find a way to mitigate this. For these reasons the current implementation of `ZfitHofmeyr` proved insufficient to accurately portray the usefulness of Hofmeyr’s method.

Table 2: Comparison between KDE implementations (NR: normal reference rules, namely Scott/Silverman, CV: Cross Validation, ISJ: Improved Sheater Jones according to Botev et al.)

Feature / Library	scipy	sklearn	statsmodels	KDEpy	Zfit
Number of kernel functions	1	6	7 (6 slow)	9	12
Weighted data points	No	No	Non-FFT	Yes	Yes
Automatic bandwidth	NR	None	NR,CV	NR, ISJ	NR, ISJ
Multidimensional	No	No	Yes	Yes	No(planned)
Supported algorithms	Exact	Tree	Exact, FFT	Exact, Tree, FFT	Exact, Binned, FFT, ISJ

All proposed implementations restrict themselves to the one-dimensional case as described in section 1.4. So far only KDEpy and Statsmodels implement a multidimensional KDE in Python. Generalization to higher dimensional kernel density estimation is feasible and would extend its use case even further, although this would require more work. Firstly because the binning routine would have to be extended to the multi-dimensional case and secondly because the improved Sheather-Jones algorithm implementation would have to be adapted. In addition one must ensure that the kernel functions used are multidimensional themselves, however, this is already the case for the most important kernel function, the Gaussian density. In addition, looking deeper in the specialized kernel function based approach might result in an even faster implementation, however this would require substantially more work due to the difficulty of implementing recursion in TensorFlow efficiently.

In conclusion, the newly proposed methods `ZfitFFT`, `ZfitISJ` show superior performance for cases where only the PDF evaluation runtime is of importance, especially if the PDF is used for log-likelihood or χ^2 -squared fitting. Furthermore, the proposed improved Sheather-Jones algorithm implementation shows state-of-the-art accuracy in general while imposing only a minor runtime cost. Finally, for larger datasets with sample size ($n \geq 10^8$), the binned as well as the FFT based implementations (`ZfitBinned`, `ZfitFFT`) are able to outperform the current state-of-the-art in terms of runtime for a given accuracy. Therefore the newly proposed implementations are optimally suited for kernel density estimation in scientific fields like high energy physics that deal with large datasets.

Appendix

Source Code

The source code of the newly proposed implementations can be found at <https://github.com/AstroViking/tf-kde>

References

- ¹ Martín Abadi, Ashish Agarwal, Paul Barham, Eugene Brevdo, Zhifeng Chen, Craig Citro, Greg S. Corrado, Andy Davis, Jeffrey Dean, Matthieu Devin, Sanjay Ghemawat, Ian Goodfellow, Andrew Harp, Geoffrey Irving, Michael Isard, Y. Jia, Rafal Jozefowicz, Lukasz Kaiser, Manjunath Kudlur, Josh Levenberg, Dandelion Mané, Rajat Monga, Sherry Moore, Derek Murray, Chris Olah, Mike Schuster, Jonathon Shlens, Benoit Steiner, Ilya Sutskever, Kunal Talwar, Paul Tucker, Vincent Vanhoucke, Vijay Vasudevan, Fernanda Viégas, Oriol Vinyals, Pete Warden, Martin Wattenberg, Martin Wicke, Yuan Yu, and Xiaoqiang Zheng, *TensorFlow: Large-Scale Machine Learning on Heterogeneous Systems* (2015).
- ² J. V. Dillon, I. Langmore, D. Tran, E. Brevdo, S. Vasudevan, D. Moore, B. Patton, A. Alemi, M. D. Hoffman, and R. A. Saurous, *TensorFlow Distributions*, CoRR **abs/1711.10604**, (2017).
- ³ J. Eschle, A. Puig Navarro, R. Silva Coutinho, and N. Serra, *Zfit: Scalable Pythonic Fitting*, *SoftwareX* **11**, 100508 (2020).
- ⁴ *Processing: What to Record? - CERN Accelerating Science*, <https://home.cern/science/computing/processing-what-record> (accessed Nov. 16, 2020).
- ⁵ M. Rosenblatt, *Remarks on Some Nonparametric Estimates of a Density Function*, *Ann. Math. Statist.* **27**, 832 (1956).
- ⁶ T. Duong, *Kernel Density Estimation in Python*, <https://www.mvstat.net/tduong/research/seminars/seminar-2001-05/> (accessed Nov. 16, 2020).
- ⁷ M. Lerner, *Kernel Density Estimation in Python*, <https://mglerner.github.io/posts/histograms-and-kernel-density-estimation-kde-2.html> (accessed Nov. 16, 2020).
- ⁸ K. Cranmer, *Kernel Estimation in High-Energy Physics*, *Computer Physics Communications* **136**, 198 (2001).
- ⁹ C. R. Harris, K. J. Millman, S. J. van der Walt, R. Gommers, P. Virtanen, D. Cournapeau, E. Wieser, J. Taylor, S. Berg, N. J. Smith, R. Kern, M. Picus, S. Hoyer, M. H. van Kerkwijk, M. Brett, A. Haldane, J. F. del Río, M. Wiebe, P. Peterson, P. G’erard-Marchant, K. Sheppard, T. Reddy, W. Weckesser, H. Abbasi, C. Gohlke, and T. E. Oliphant, *Array Programming with NumPy*, *Nature* **585**, 357 (2020).
- ¹⁰ T. Odland, *Comparison | KDEpy*, <https://kdepy.readthedocs.io/en/latest/comparison.html> (accessed Nov. 16, 2020).
- ¹¹ A. Gramacki, *FFT-Based Algorithms for Kernel Density Estimation and Bandwidth Selection*, in *Nonparametric Kernel Density Estimation and Its Computational Aspects* (Springer, 2018), pp. 85–118.
- ¹² Z. I. Botev, J. F. Grotowski, D. P. Kroese, and others, *Kernel Density Estimation via Diffusion*, *The Annals of Statistics* **38**, 2916 (2010).
- ¹³ D. P. Kroese, T. Taimre, and Z. I. Botev, *Handbook of Monte Carlo Methods*, Vol. 706 (John Wiley & Sons, 2013).
- ¹⁴ M. P. Wand and M. C. Jones, *Kernel Smoothing* (Crc Press, 1994).
- ¹⁵ D. Hofmeyr, *Fast Exact Evaluation of Univariate Kernel Sums*, *IEEE Trans. Pattern Anal. Mach. Intell.* **1** (2019).

¹⁶ *Scipy.stats.gaussian_kde* — *SciPy V1.5.4 Reference Guide*, https://docs.scipy.org/doc/scipy/reference/generated/scipy.stats.gaussian_kde.html (accessed Nov. 16, 2020).

¹⁷ *Kernel Density Estimation* — *Statsmodels*, https://www.statsmodels.org/devel/examples/notebooks/generated/kernel_density.html (accessed Nov. 16, 2020).

¹⁸ *Sklearn.neighbors.KernelDensity* — *Scikit-Learn 0.23.2 Documentation*, <https://scikit-learn.org/stable/modules/generated/sklearn.neighbors.KernelDensity.html> (accessed Nov. 16, 2020).

¹⁹ T. Odland, *KDEpy*, <https://github.com/tommyod/KDEpy> (accessed Nov. 16, 2020).

²⁰ J. VanderPlas, *Kernel Density Estimation in Python*, <https://jakevdp.github.io/blog/2013/12/01/kernel-density-estimation/> (accessed Nov. 16, 2020).

²¹ R. P. Brent, *An Algorithm with Guaranteed Convergence for Finding a Zero of a Function*, *The Computer Journal* **14**, 422 (1971).

²² D. P. Hofmeyr, *Fast Kernel Smoothing in R with Applications to Projection Pursuit*, arXiv:2001.02225 [stat] (2020).

²³ B. W. Silverman, *Density Estimation for Statistics and Data Analysis* (Chapman & Hall/CRC, Boca Raton, 1998).

List of Tables

1	Comparison between KDE implementations by Tommy Odland ¹⁰ (NR: normal reference rules, namely Scott/Silverman, CV: Cross Validation, ISJ: Improved Sheater Jones according to Botev et al. ¹²)	14
2	Comparison between KDE implementations (NR: normal reference rules, namely Scott/Silverman, CV: Cross Validation, ISJ: Improved Sheater Jones according to Botev et al.)	36

List of Figures

1	Vectors \vec{c} and \vec{k} used for the convolution	10
2	Test distributions used to sample data from	20
3	Comparison between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr' with $n = 10^4$ sample points	22
4	Comparison between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr' with $n = 10^4$ sample points on distribution 'Claw'	23
5	Integrated square errors (<i>ISE</i>) for the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr'	24
6	Runtime difference of the instantiation phase between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr'	25

7	Runtime difference of the evaluation phase between the five algorithms 'Exact', 'Binned', 'FFT', 'ISJ' and 'Hofmeyr'	26
8	Comparison between the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy with $n = 10^4$ sample points	27
9	Integrated square errors (<i>ISE</i>) for the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy	28
10	Runtime difference of the instantiation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy	29
11	Runtime difference of the evaluation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ', 'Hofmeyr' and the FFT based implementation in KDEpy	30
12	Runtime difference of the instantiation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' and the FFT based implementation in KDEpy (run on GPU)	31
13	Runtime difference of the evaluation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' and the FFT based implementation in KDEpy (run on GPU)	32
14	Runtime difference of the evaluation phase between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' only (run on GPU)	33
15	Runtime difference of the total calculation (instantiation and evaluation phase) between the newly proposed algorithms 'Binned', 'FFT', 'ISJ' and the FFT based implementation in KDEpy (run on GPU)	34